

University of Dundee

The John Bryden memorial lecture

Sullivan, Francis M.

Published in:
Informatics in Primary Care

DOI:
[10.14236/jhi.v21i4.76](https://doi.org/10.14236/jhi.v21i4.76)

Publication date:
2014

Licence:
CC BY

Document Version
Publisher's PDF, also known as Version of record

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):
Sullivan, F. M. (2014). The John Bryden memorial lecture: improving health with the community health index and developments in record linkage. *Informatics in Primary Care*, 21(4), 156-160.
<https://doi.org/10.14236/jhi.v21i4.76>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

John was one of the first people who could see that potential and was able to make real progress in Scotland and Europe. He saw that computers could be used for the care of individual patients and even more so for groups of patients.² The electronic medical record (EMR) and our increasing ability to link and share the information they contain would be a revolutionary change in medicine.³

During the rest of this lecture, I would like to talk about how his work on implementing a unique patient identifier or the community health index (CHI) number has enabled Scotland to link EMR data for clinical management of chronic disease, using diabetes mellitus as an example. I will then go on to describe how his work has also enabled contributions to developments in the UK and more widely in Europe by describing some projects I am working on.

THE CHI

The CHI number is a 10-digit string comprising date of birth, the order of registration of an individual by birth or immigration, into Scotland for the first time, sex and a checksum to prevent computer users making up a number.⁴ Its use has gradually spread and is now applied to 99.8% of health care events in Scotland. His early work with the CHI in Scotland enabled data from multiple sources to be linked together in a deterministic manner rather than having to rely upon probabilistic methods.⁵ This has gradually been developed over the years to allow linkage from before birth until death which allows a range of uses from clinical care to service management and research (Figure 1).

An early use of record linkage which John was involved in was the development of the Glasgow Coma Scale.^{6,7} This is one of my Glasgow's most famous exports thanks to hospital dramas like ER. The serious point is that better use of data on patient outcomes allowed studies to track patients after hospital discharge and correlate detailed clinical information on eye opening, motor and verbal responses to longer term

recovery. This demonstrated 'proof of concept' for a methodology that has since been applied more widely.

One benefit of demonstrating significant value at an early stage of record linkage was that the ethical and legal framework for the use of data in medical research became relatively permissive.⁸ The use of anonymous data was lightly regulated and only when information was needed to contact patients was permission more onerous. The health service sought to inform and reassure patients about the use of their data in leaflets and posters.

DIABETES CARE

One of the major successes was diabetes care where Tayside developed systems locally which once successful became adopted nationally and it became possible to apply insights from the aggregate data to improve services and make them more efficient. Everyone involved in managing a chronic disease like diabetes realises that they only have a partial view of the problem. The increasing availability of electronic records in Scotland and the ability to link the data using the CHI number meant that a complete picture could now be obtained. This is from a *BMJ* paper in 1998 describing the use of a capture/recapture technique to ensure that everyone with diabetes in our region was on the register to enable recall and regular review.⁹

Of course, it was not entirely accurate at first, and every Easter, we reported the resurrection rate for the first few years when people categorised as dead reappeared. After 5 years of feeding this information back to front-line staff, the problem ceased. Garbage in, garbage out may be true, but if clinicians perceive that they will get useful information out of their computer systems, then they will be happy to take the time and effort to provide higher quality data entry. This enabled first Tayside to develop a series of linkages to data from all the sources used by patients. Once the concept had been established, it became possible for the idea to be




Figure 1 Scottish health records. Ref <http://www.isdscotland.org/Products-and-Services/eDRIS/>

adopted nationally so that everyone with diabetes has shared records across the country.

Then, clinicians, academics and policy makers can start to address known but previously intractable problems like the rule of halves.¹⁰ Where there seemed to be underdiagnosis, more intensive searches could be undertaken. Where patients had a diagnosis but were not on any treatment that could be rectified. And, where treated patients were poorly controlled measures could be put in place to deal with the system problems, which led to the difficulty identified in the data. Data showing the HbA1c levels of patients in all practices in Tayside identified one or two below the standards expected which could then be engaged in further discussions to identify the cause of the problem and, usually, rectify it.¹¹

Data were even more important in addressing the widespread problem of the inverse care law 'The availability of good medical or social care tends to vary inversely with the need of the population served'.¹² Health services in many countries are designed for mobile, intelligent people who will attend for examinations when they are asked to do so. The problem is older, less mobile people who have difficulty accessing or using services where the bulk of the problem lies. When a health service knows which diabetic patients have not had an annual foot examination and appropriate follow-up, then it can make new provision for the older, less mobile people who have difficulty accessing or using the mainstream services. This is what we have seen. Despite a quadrupling in the numbers of people known to have diabetes, there has been a significant reduction in the total numbers of lower limb amputations.¹³

Services can also be made more efficient by using real data and modelling as these graphs show. If patients with T1DM have had two normal examinations, then their next examination can safely be delayed for 2 years, whereas if an abnormality has been seen, then examinations need to be more frequent. So, even though some patients would be seen more often for review, overall resources could be saved.¹⁴ In this case, around 40% fewer examinations would be needed. The final example from diabetes is opening up the patient's data for them to see for themselves what their lab values and examination results are. At the moment, the patients involved in this area a highly motivated, self-selected group, but it seems likely that their numbers will grow as the population becomes more tech-savvy and services are reconfigured to provide them their data when they need it.¹⁵

HEALTH INFORMATICS INFRASTRUCTURE

Partly, as a result of success in these research activities in diabetes as well as other areas like pharmacoepidemiology, we embarked on the Wellcome trust funded €6M Scottish Health Informatics Programme (SHIP) to build up the Health Informatics infrastructure.¹⁶ Developing safe havens for data was a key part of this with not only the physical environment, but the people, mechanisms and projects were all subject to control to ensure safety and confidentiality. Some of the key features of the information

governance mechanisms are shown in the figure below, including centralised indexing for quality control and local access mechanisms.

Researchers who want to use data have compulsory training in the legal and ethical issues, and they are assigned an experienced research coordinator who pilots them through the process. The linkage mechanisms may be familiar to some in the audience, but Figures 2 and 3 illustrate the idea. The first shows how patient identifiers are stripped off the 'payload data'. Both are then sent separately to an independent indexing service which returns the data to the data source with a study number.

In the second stage, the data sources can then send the anonymised, but linkable data to the safe haven for researchers to access. The indexing service has no data, and the safe haven has no way to identify the patients.

In addition to the technical progress, SHIP has made the assessment of applications to use data more proportionate.¹⁷ Only the most restricted category requires researchers to go into a windowless room in a secure building and be checked for recording materials. SHIP has also involved a programme of research of the kind already mentioned in four broad categories.

One example of the power and efficiency of record linkage is the West of Scotland Coronary Prevention Study. The trial costs €30M over 5 years, but using record linkage for an




Figure 2 Linkage part 1²²




Figure 3 Linkage part 2²²

additional 10 years costs only €30K.¹⁸ Success like that has encouraged the U.K. government to make further investments in a national network of centres to make greater use of linked health data for a range of purposes in the Farr Institute.¹⁹ Of course, the architecture becomes more complex as the demands placed upon the system and more actors increase, but the essential principles of data governance remain the same. The source systems already exist, and they have evolved good systems to ensure privacy. Researchers have to prove that they can handle the data they are allowed to see in a confidential manner and the central area here are the informatics mechanisms to ensure that it all works.

INTERNATIONAL PROJECTS

Similar moves are under way in Europe in two projects. The first, TRANSFORM led by King's college in London, is mainly focused on primary care data.²⁰ Like SHIP, it addresses a series of infrastructure and basic informatics issues as well as addressing research questions. As with all large projects, there are several work streams which draw upon the expertise, which is only found across a large number of collaborating groups. The work package led from Scotland focuses

upon diabetes. The question links genetic data to primary care EMR data.

EHR4CR is an even more ambitious project with more academic partners and involving 11 pharmaceutical companies.²¹ Some of this build upon work in TRANSFORM, and some are new. It has the ambition of ensuring that clinical data in EMRs and other sources can be used for research seamlessly, with no need for the current separation and loss of efficiency that entails.

SUMMARY

There have been many successes in medical informatics since 1969 and John Bryden's first paper suggesting that computers might be useful. However, there are increasing challenges as well; patients move location and they need their medical information to follow them. Members of the EFMI are contributing to an ability to achieve this through action on a range of interlocking topics and projects.

I am sure that John would be pleased to see how things have developed, but he would also be encouraging us to even greater efforts to ensure that patients benefit from our work.

REFERENCES

1. Bryden JS. The mechanical preparation of age and sex registers in general practice. *Journal of Royal College of General Practitioners* 1969;18(85):131–2. PMID:PMC2236987.
2. Boddy FA and Bryden JS. Woodside Health Centre. The computer experiment. *Health Bulletin (Edinburgh)* 1973;31(3):167–71.
3. Bryden JS. Health information change management lessons—learned from a third of a century of change introduction. *Studies in Health Technology Informatics* 2002;87:22–5. PMID:15458037.
4. Community Health Index. The use of the CHI (Community Health Index) across the NHS in Scotland. Available from <http://www.knowledge.scot.nhs.uk/media/CLT/ResourceUploads/4014634/CHI%20Guidance%20-%20FINAL.pdf> (accessed 12.5.14).
5. Kendrick SW, Douglas MM, Gardner D and Hucker D. Best-link matching of Scottish health data sets. *Methods of Information in Medicine* 1998;37(1):64–8. PMID:9550849.
6. Bryden JS and Jennett B. Neurosurgical resources and transfer policies for head injuries. *British Medical Journal (Clinical Research Ed.)* 1983;4;286(6380):1791–3.
7. Brooks DN, Campsie LM, Beattie A and Bryden JS. The chief scientist reports ... head injury and the rehabilitation professions in the West of Scotland. *Health Bulletin (Edinburgh)* 1986;44(2):110–17.
8. Confidentiality and Security Advisory Group for Scotland. Available from <http://www.sehd.scot.nhs.uk/publications/ppcr/ppcr.pdf> (accessed 12.5.14).
9. Morris AD, Boyle DI, MacAlpine R, Emslie-Smith A, Jung RT, Newton RW and MacDonald TM. The diabetes audit and research in Tayside Scotland (DARTS) study: electronic record linkage to create a diabetes register. DARTS/MEMO Collaboration. *British Medical Journal* 1997;315(7107):524–8. Available from <http://dx.doi.org/10.1136/bmj.315.7107.524>. PMID:9329309; PMCid:PMC2127363.
10. Hart JT. Rule of halves: implications of increasing diagnosis and reducing dropout for future workload and prescribing costs in primary care. *British Journal of General Practitioners* 1992;42(356):116–19. PMID:1493028; PMCid:PMC1371996.
11. Guthrie B, Love T, Fahey T, Morris A and Sullivan F. Control, compare and communicate: designing control charts to efficiently summarise data from multiple quality indicators. *Quality and Safety Health Care* 2005;14:450–4. Available from <http://dx.doi.org/10.1136/qshc.2005.014456>. PMID:16326793; PMCid:PMC1744105.
12. Mercer SW, Guthrie B, Furler J, Watt GC and Hart JT. Multimorbidity and the inverse care law in primary care. *British Medical Journal* 2012;19;344:e4152.
13. Kennon B, Leese GP, Cochrane L, Colhoun H, Wild S, Stang D et al. Reduced Incidence of Lower-Extremity Amputations in People With Diabetes in Scotland: a nationwide study. *Diabetes Care* 2012;35(12):2588–90. Available from <http://dx.doi.org/10.2337/dc12-0511>. PMID:23011727; PMCid:PMC3507601.
14. Looker HC, Nyangoma SO, Cromie DT, Olson JA, Leese GP, Philip S et al. On behalf of the Scottish Diabetes Research Network (SDRN) Epidemiology Group and the Scottish Diabetic Retinopathy Collaborative. Predicted impact of extending the screening interval for diabetic retinopathy: the Scottish Diabetic Retinopathy Screening programme. *Diabetologia*

- 2013; 56(8):1716–25. Available from <http://dx.doi.org/10.1007/s00125-013-2928-7>. PMID:23689796; PMCID:PMC3699707.
15. Cunningham S, McAlpine R, Leese G, Brennan G, Sullivan F, Connacher A et al. Using web technology to support population-based diabetes care. *Journal of Diabetes Science and Technology* 2011;5(3):523–534. Available from <http://dx.doi.org/10.1177/193229681100500307>.
 16. SHIP. Available from <http://www.scot-ship.ac.uk/> (accessed in May 2014).
 17. Laurie GT. Reflexive governance in biobanking: on the value of policy led approaches and the need to recognise the limits of law. *Human Genetics* 2011;130:347–56. Available from <http://dx.doi.org/10.1007/s00439-011-1066-x>. PMID:21766192.
 18. Ford I, Murray H, Packard CJ, Shepherd J, Macfarlane PW and Cobbe SM. West of Scotland Coronary Prevention Study Group Long-Term Follow-up of the West of Scotland Coronary Prevention Study. *New England Journal of Medicine* 2007;357:1477–86. Available from <http://dx.doi.org/10.1056/NEJMoa065994>. PMID:17928595.
 19. The Farr Institute. Available from <http://www.farrinstitute.org/> (accessed in May 2014).
 20. Translational Research and Patient Safety in Europe. Available from <http://www.transformproject.eu/> (accessed 12.5.14).
 21. Electronic Health Records for Research. Available from <http://www.ehr4cr.eu/>.
 22. Wellcometrust. SHIP Guiding Principles and Best Practices. Available from http://www.scot-ship.ac.uk/sites/default/files/Reports/Guiding_Principles_and_Best_Practices_221010.pdf